

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S132	1	10/531652	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S133	41	topic near10 (division divid\$3 separat\$3) near10 (portion piece part block) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S134	10	(sub adj topic) near10 (portion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S135	7	(topic) near10 (portion) near10 (sequential sequenc \$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S136	34	(divid\$3 division) same (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S137	10	link\$3 near5 (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S138	4	("5832472"   "6442274"   "6539387"   "6633316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10

S139	11	("6633316" "6539387" "6442574" "6243071" "6154750" "5991751" "5832472" "5721910" "5708806" "20020198885" "20020032672").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S140	2	S139 and ((sub near topic\$3) subtopic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S141	3	topic near10 (divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S142	3	(divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S143	49	(divid\$3 division break\$3 broke\$2) same ((sub near topic\$3) subtopic) same (link \$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S144	13	(divid\$3 division break\$3 broke\$2) with ((sub near topic\$3) subtopic) with (link \$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S145	6542	(divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3) article categor\$3) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10

S146	7	((divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3 article categor\$3)) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S144	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S147	2	((hyper adj link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S148	4	((hyperlink\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S149	41	((hierarch\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S150	7	((hypertext near link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S151	7	((hypertext near link\$3) with ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S152	10	((hypertext near link\$3) same ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S153	29	((hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10

S154	17	(hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S155	16	(hyperlink\$3 (hyper near link \$3)) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S156	11	hyperlink\$3 near10 explanatory near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S157	70	(hyperlink\$3 (hyper adj link \$3)) with (explanat\$3 explain \$3 descriptive) with (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S156	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S158	169	(hyperlink\$3 (hyper adj link \$3)) same (explanat\$3 explain\$3) same (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S159	32	(hyperlink\$3 (hyper adj link \$3)) near10 (explanat\$3 explain\$3) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S160	24	(hyperlink\$3 (hyper adj link \$3)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10

S161	2	{(explanatory adj (note text window)) near10 (overview summary) near10 (note text window) and (@ad<"20011017"@pd<"20011017"@rlad<"20011017")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S162	5	{(explanatory) near10 (overview summary) near10 (note text window) and (@ad<"20011017"@pd<"20011017"@rlad<"20011017")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S163	50	{(explanat\$3 explain\$3) near10 (overview summary) near10 (note text window) and (@ad<"20011017"@pd<"20011017"@rlad<"20011017")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S164	651	{(display\$3 show\$3) near10 (overview summary) near10 (description) and (@ad<"20011017"@pd<"20011017"@rlad<"20011017")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S165	115	{(display\$3 show\$3) near10 (overview\$3 summar\$5) near10 topic and (@ad<"20011017"@pd<"20011017"@rlad<"20011017")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S166	651	{(record\$3) near5 sequence near5 access and (@ad<"20011017"@pd<"20011017"@rlad<"20011017")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S167	8	{(record\$3) near5 sequence near5 access near5 select\$3 and (@ad<"20011017"@pd<"20011017"@rlad<"20011017")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S168	28	{(record\$3) near5 sequence near5 access near5 user and (@ad<"20011017"@pd<"20011017"@rlad<"20011017")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10

S169	4	(record\$3) near5 sequence near5 access near5 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S170	21	(record\$3) with (sequence near5 access) with order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S171	602	(sequence near5 access) near10 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S172	9	(record\$3) near5 sequence near5 access near5 (display \$3 show\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S173	98	(display\$3) near10 (access\$3 adj order) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S174	562	hyperlink\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S175	18	hyperlink\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S176	129	display\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10

S177	0	display\$3 near5 (title metadata (meta adj (data information))) near5 access \$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S178	34	display\$3 near5 (information) near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S179	17	(record\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S180	21	(sav\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:10
S181	2	("5991751" "5721910").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/22 16:16
S182	1	link\$3 near5 (database (data adj base)) near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/23 09:05
S183	1	(database (data adj base)) same link\$3 near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/23 09:06
S184	3	(database (data adj base)) and link\$3 near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/23 09:07

S185	36	(database (data adj base)) near10 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/23 09:09
S186	4	("5832472"   "6442274"   "6539387"   "6633316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/23 09:14

10/ 23/ 2008 10:49:38 AM

C:\Documents and Settings\shoang\My Documents\EAST\Workspaces  
\son\_10\_531\_652\_case.wsp